MARITIM

New products in Maritim

20
24

We are adding several new products every month into our product range.

Subscribe to our newsletter at www.maritim.fi and you will be among the first to hear about them.

MULTI-CABLE SEAL
SCANSTRUT DECKSEAL MULTI

For cables up to Ø15 mm.
For installation of large electronics, solar and light cables. A low-profile construction. Easy installation that cuts down through wood, metal and GPR.
100% waterproof: IP68.
9515030219

ARM POD FOR DISPLAYS
SCANSTRUT DECKSEAL MULTI

Displays upto 7". Arm Pod allows you to install your MFD onto any standard or curved rail. Waterproof internal cable routing allows you to seamlessly run your cables through the bottom of the pod, the machined aluminium clamp and into the rail. Fits pedestal rails from 25 mm to 33,7 mm. 9514620498

VACUUM CLEANER
MIRKA 1242 M AFC EU

The professional industrial vacuum cleaner. Powerful motor and turbine; vacuum 250 mbar, air flow 4500 l./min. 60 dB, 220 - 240 V, tank capacity 42 l. The automatic start function. Mirka dust hose recommended (not included).
9519401467

ELECTRIC RANDOM ORBITAL
SANDER MIRKA DEROS 680CV

Designed for efficient and dust-free grinding of all types of surfaces. An integrated vibration sensor. Bluetooth. Dust system: dust extraction. Speed 4000 - 10000 rpm. Noise level 71 dB. Off-center movement 8 mm. Power supply 350 W. Pad size 150 mm. 9519401257

ELECTRIC ORBITAL SANDER
MIRKA DEOS 343CV

For sanding windows, doors and frames. Especially in hard-to-reach places. Equipped with a brushless motor, vibration sensor and Bluetooth. 220 - 240 V. 5000 - 10000 rpm. Off-center movement 3 mm. Pad size 75 x 100 mm. 70 dB. Central vacuum connection. 9519400999

SANDING PAPER ROLL
MIRKA GOLDFLEX SOFT

115 x 125 mm. Perforated. For sanding profiled surfaces and irregular, difficult-to-reach details by hand. The special coating prevents clogging.
For dry and wet sanding.
9519401764 / P180
9519401766 / P240
9519401767 / P320

SANDING PAPER
MIRKA ECOWET P2000

For wet sanding of painted surfaces, interlayers and repair areas by hand. Also suitable for removing layers of dirt and pores from painted surfaces. The use of hand-held abrasive pads is recommended. Griddable objects: non-ferrous metals, painted and varnished surfaces, primers, glass fiber. 9519401239

BLENDING TAPE
MIRKA FLEXI NO EDGE

Mirka's unique foam tape for defining and protecting curved edges.
9519401758

SHACKLE 20 MM WICHARD

Made by 17-4 stainless steel grade.
Outstanding working and breaking load.
Can be up to 60% more resistant than
316L stainless steel.
CE-marked.
9513033825

SPARES KIT FOR VINCH LEWMAR OCEAN/EVO ST 50-65

Spares kit contains:
1x 15000646, 1x 15000981, 2x 45000102,
4x 1260/7, 4x 1264/8, 1x B1878.
9512408611

CATCH BLOCK SPARE LEWMAR

Low and medium profile
catch block spare.
9512407108

HOSE CONNECTOR GUIDI

Hose connector, male, 1"1/4 x 30 mm.
Bronze.
9515015035

HOSE CONNECTOR 1/2" 16 MM TRUDESIGN

Hose connector with 90° angle,
black composite, 16" thread,
for 16 mm hose.
9515030449

SHOWER HEAD OSCULATI KEJI II

Keji II continuum flow spare
shower head.
9513055063

GAS ADAPTER ENO SAE5/8 - G1/4

Reliable and versatile accessory for outdoor
cooking. Crafted from durable materials,
it ensures compatibility with various
gas-powered appliances, providing a steady
fuel source for camping, picnics, backyard
barbecues...
9515008401

MINI CONTROLLER ZIPWAKE

Perfect complement to any Zipwake system
equipped with the Integrator module and
touchscreen MFDs. Built-in GPS.
Surface or flush mount. IP67.
Auto power ON/OFF via ignition key sense.
Compliance: CE, FCC.
9519040819

WIPER CONTROL ROCA CT41

Wiper control is suited for low-power motors
with a parking switch. It works both with
single-speed and double-speed motors.
No screws are needed for the installation.
Buttons allows you to manage ON/OFF,
timing, and washing program.
9514014228

ADMIRAL'S PACKAGE HURLEY MARINE H2O

Everything you will need to complete your
davit install. Package includes: 4 stainless
steel ratchet straps, 4 padeyes, backing
plates, mount plate covers, cleat with pin.
9519037960

BLIND/FLYSCREEN ROLLERS, SEAVIEW SEASCREEN

Surface-mounted. The PVC coated glass
fibre weave allows air to flow around the
cabin. Gives privacy and comfort and
protects from sunlight and heat. Prevents
minute insects access. Low profile design,
integrated fixing covers. Magnetic closure.
Fits any size marine hatch.

9512601204/koko 44
9512601207/koko 60

With liner:
9512601223/koko 54
9512601270/koko 70

AUTOM. INFLATION LIFEJACKET CREWSAVER CREWFIT+ 180N PRO

Lightweight, 3D shaped lifejacket provides the ultimate comfort. Robust outer cover with design of peninsular. Chin support, hood, light, crotch strap and safety harness loop. Indicator window. Smartfind AIS compatible.
9557201023

MULTI-FLASH SIGNAL LAMP HELLA MARINE

10 programmable flash modes and the ability to be synchronised to flash alternately or in unison. Amber light (optics is clear until illuminated). Superior resistance to water, impact and UV. Multivolt 9 - 33 V DC, power <5 W (continuously on). Pre-wired with 2,5 m of multi core cable. IP67. 9514033523

FLUSH DECK POWER POINT OSCULATI 70 MM

High-resistance power point. Suitable to e.g. fasten rafts and inflatables on deck or platforms, or to fasten lifelines on sail boats. Mirror polished AISI316 stainless steel.
9516002048

SET FOR FOLDING BRACKETS ROCA ROBUST EASY RELEASE

The Easy Release is an addition to Robust folding brackets that enables you to easily release two Robust brackets on a wider installation/shelf, using only one hand.
9516011070

LOCKABLE SLAM LATCH ROCA

A lockable slam latch in acid-proof stainless steel, adjustable for 2 - 22 mm panel thicknesses. Ø 61 mm. Comes with a thin backing plate, a spacer, and 2 sets of crews for panel thicknesses of 2 - 22 mm. "Push to close" functionality.
9516060153

CATCHPLATE SS ROCA

A 22° angled catch plate in electropolished and acid-proof stainless steel intended for Roca's eccentric latch 22. AISI304.
9516008028

TRUMPET HORN SS ROCA

A classic and reliable trumpet signal horn with a loud and effective single sound. Sound level 115 ± 5dB. Power 12 V 3A. AISI304.
9514008100

SLIDE LATCH SS ROCA

Crafted in high-quality acid-proof stainless steel. The plastic friction block prevents rattling and vibration while maintaining a secure connection. Open the slide latch with the push-lock. Flat keeper (9516008057) for slide latch is not included.
9516008056

FLAT KEEPER FOR SLIDE SS LATCH ROCA

Flat keeper for slide latch 9516008056. AISI316.

9516008057

ROLLER SEASHADE MINI S3

For small hatches, windows, and portlights. Spring-loaded. Housed in cassette with integrated fixing covers. Water repellent, heat-reflective, and blocks 0% light transmission. Can be mounted as top or face fix. Ergonomic finger-moulded handle, or optional pull tab available in leather. 9512601310

HELM POD FOR DIPLAYS SCANSTRUT

For mounting display and instruments together right where you need them. Customised U-bolts: no drill fixing kit. Fits pedestal rails from Ø 25 mm to 33,7 mm. Secure & watertight install. Hassle-free install and service. Has a very high resistance to heat and UV. Supplied uncut. 9514620490

REARMING KIT
HAMMAR MA1/A1

Automatically activates when submerged in water and with a pressure difference of about 10 centimeters. Manual activation by pull tab. IMO/SOLAS-, EN 396- ja TSO C13f-approved.
9557202568

MOB LIGHT & SMOKE
IKAROS MKCI

Man overboard light and smoke signal is the most compact smoke buoy in the world. It has an innovative 360-degree light ring that clearly marks the position of the person in the water. It delivers a dense orange smoke for more than 15 min.
9517088019

GUIDI
since 1968

AG

MARINE
ACCESSORIES

BALL VALVE
GUIDI

Lever operated ball valve, female-female, full flow. Bronze.
9515015560 / 3/8"   9515015565 / 1"1/2
9515015561 / 1/2"   9515015566 / 2"
9515015562 / 3/4"   9515015567 / 2"1/2
9515015563 / 1"   9515015568 / 3"
9515015564 / 1"1/4

FLANGE
GUIDI PN16

1 1/4". DN32. Bronze.
9515015550

POT STAND
ENO INOX ONE

Pot stand set for Eno One Inox oven (9593009530).

9515008403

HUB FOR SENSORS
GOBIUS PRO

You can connect up to 5 sensors to the hub and display the level on an analog gauge such as Faria, KUS, VDO, Wema or another instrument that can read 10 - 180 or 240 - 33 Ohm. The hub can also give signals to NMEA2000 converter and to other BUS system. 9514052050

ELECTR. WATER PRESSURE
SYSTEM MARCO UP12/E

Self-priming automatic electric pump. Main applications: fresh water pressure systems and shower kits on boats, rubber dinghies, sailing boats and campers. Voltage 12/24 V. Self-priming 3 m. Flow rate 36 l./min. Motor power 360 W.
9515005658

BRUSH HEAD
LTC SCRUBBIS GROOVY

Remove algae and other deposits from the hull of the boat. Clean the hull easily while the boat is still in the water. The cleaning head has a 2 kg floating weight that presses firmly against the surface of the body.
9513029032

BOATBRUSH + CONTAINER
LTC SCRUBBIS DIPDECK

Integrated water tank (foldable). You can use water from the sea or lake. If necessary, you can add an environmentally friendly detergent. Volume 4 l. Folded height 18 cm, unfolded: 35 cm. Width x depth 24×13 cm.
9513029034

HULL CLEANING KIT
LTC SCRUBBIS

Effectively removes dirt, such as algae, slime and seeps, from the hull of the boat. You can brush the bottom of the boat from the dock. The cleaning head has a floating weight of 2 kg. Length 113 - 320 cm, width 40 cm, diameter 9.5 cm.
9513029030

MARITIM

SANDING DISC 77 M
MIRKA GALAXY MULTIFIT

Suitable for e.g. for grinding metal, wood, fiberglass, plaster/putty and gelcoat. Excellent edge resistance, long service life, efficient grinding and dust removal.

9519401770 / P40	9519401779 / P320
9519401771 / P60	9519401780 / P400
9519401772 / P80	9519401781 / P500
9519401773 / P100	9519401782 / P600
9519401774 / P120	9519401783 / P800
9519401775 / P150	9519401784 / P1000
9519401776 / P180	9519401785 / P1200
9519401777 / P220	9519401786 / P1500
9519401778 / P240	9519401787 / P2000

SANDING DISC 34 MM
MIRKA ABRANET

For dry sanding by machine or by hand. Especially for sanding putty, primers, lacquers, composite materials and a wide range of other materials. Durable and long-lasting. A cleaner working environment. 50 pcs/pack.

9519401797 / P600	9519401796 / P500
9519401791 / P120	9519401795 / P400
9519401798 / P800	9519401793 / P240
9519401790 / P80	9519401792 / P180

SANDING DISC 34 MM
MIRKA ABRANET

Developed for tackling both smooth and profiled surfaces. Suitable for both dry and wet sanding, by machine or by hand. Can be used, for example, for finishing and pre-polishing gelcoats, varnishes and fiberglass-reinforced surfaces. 10 pcs/pack

|	
9519401800 / P360	9519401803 / P2000
9519401801 / P500	9519401804 / P3000
9519401802 / P1000	9519401805 / P4000

ELECTRIC RANDOM ORBITAL
SANDER MIRKA AOS-B 130 32 MM

Belongs to the brushless battery-powered grinding machine series. Designed for the efficient correction of paint defects. Thanks to its durable battery, industrial use lasts up to 16 hours on a single charge. 3 mm eccentric movement. Max. 12 V 2,5A.
9519401089

ELECTRIC ORBITAL SANDER
MIRKA DEOS II 353

For woodworking and painted surfaces. For doors, windows and hard-to-reach places offering precise, efficient and dust-free sanding. Height 10 cm. Brushless motor. Backing pad 133 x 81 mm. Vibration level 3 mm. Bluetooth. Noise level 69 dB. Max. 10 000 rpm. 300 W. 9519401259
9519401259

SLEEVE
MIRKA

A durable sleeve for cable and hose, that makes handling easier and protects the work surface from scratches. Designed to be used with Mirka DEROS, DEOS and LEROS. The 3,8 m long sleeve fits the 4 m cable and hose.
9519400101

LED LIGHT SS
LUMITEC TOUCH DOME

Use as a down light, utility light, electr. space or mechanical space light as well as in many wet spaces. With no O-rings, baffles, or switches. CE certified. Ø 17,15 cm, depth 2,87 cm. 244 lumens. Housing: stainless steel. IP67. 5000K. 3PD. IP67.
9514030308 – white/blue dimming
9514030310 – white/red dimming

LED LIGHT SS
LUMITEC AURORA DOME

Aurora Dome has bright wide light, intuitive and reliable built-in switch. Housing: white. 180 lumens. IP67. CE certified. For interior or exterior use. 5000K.
9514030302 – white/blue dimming
9514030318 – white/red dimming

ENGINE ROOM LED LIGHT
LUMITEC NEVISLT

With more than 1000 integrating sphere tested lumens, the NevisLT douses hard to light areas with a 180-degree spread of bright even light. Non-dimming. 5000K. 3PD. Housing: brushed. IP67. CE certified.
9514030838

UNDERWATER LED LIGHT
LUMITEC SEABLAZE MINI

Perfect for smaller trailer boats, skiffs, or dinghies. Color output: white non-dimming. Housing anodized aluminum. 900 lumens. 6500K. IP68. CE certified. Sold as a pair.
9514030700

UNDERWATER LED LIGHT
LUMITEC SEABLAZEX2

Available in dual-color white/blue or full-color Spectrum output, the SeaBlazeX2 delivers exceptional performance with over 6000 lumens of output. It is surface mountable. Has no external drivers. Color output: white/blue. Housing: bronze. TTP, PLI. IP68. CE certified. 9514030730

LED DOWNLIGHT
LUMITEC MIRAGE

Completely sealed and IP67 rated. It's perfectly suited for a variety of indoor or outdoor overhead lighting needs. Slim profile. CE certified. Color output warm white (Hi CRI). Housing: polished. 3000K. 3PD, TTP, PLI.
9514030478

LED FLOOD LIGHT
LUMITEC CORSICA

For hardtops, wheelhouses or arches. Corsica delivers more than 1200 lumens. Can be controlled with any normal ON/OFF switch. Is compatible with Poco Digital Lighting Control system. Casts an even, dimmable and colored glow. TTP, PLI.
9514030592

LED LIGHT WHITE
LUMITEC MAXILLUME H60

Colour output: white dimming. This LED flood light has a versatile bracket mount and simple 2-wire hookup. Internal dimmer control. CE certified. Housing white. 6000 lumens, 5000K. TTP. IP67.
9514030556

LED DOWNLIGHT
LUMITEC AURORA

Completely water sealed (IP67). For interior or exterior use. Flush mount. Dimmable. With wide even light. Housing white. CE certified. 5000K.
9514030322 – white/red
9514030324 – white/blue

LED DOWNLIGHT
LUMITEC ORBIT

With a shallow-depth profile and a secure composite mounting system, light is ideal for a variety of cabin lighting, T-top lighting and mezzanine uses. Intelligent circuitry: no need for external modules, switches, wires. IP67. 5000K. 3PD, TTP, PLI. White/red/blue. 9514030350

LED DOWNLIGHT
LUMITEC SHADOW

Correlated corrected temperature 5000K. 305 lumens. IP67. CE certified. Housing polished. White, non-dimming. Depth 2,79 cm, height: 12,56 cm, diameter 8,88 cm. 3PD, TTP, PLI.
9514030440

LED DOWNLIGHT
LUMITEC MIRAGE

Completely sealed and IP67 rated. Suited for a variety of indoor or outdoor overhead lighting needs. Offers up to 30 degrees of pivot for wall wash, art lighting, and other dramatic lighting effects. 380 lumens. 5000K, 3PD, TTP, PLI. CE. White/red/blue, RGB. 9514030462

FLEXIBLE STRIPLIGHT 9'
LUMITEC MORAY RGBW

Compatible with Poco digital lighting control system andy can easily be controlled from an on-board MFD, smartphone, or tablet. RGBW flex light have both an internal driver and an internal color/output controller. 5000K, 450 lumens. IP67. TTP, PLI.
9514030878

DIGIT. LIGHTNING CONTROL
MODULE LUMITEC POCO

Delivers powerful on-board lighting control through a compatible MFD or connected smart device and a simple, easy to install control module. Install Poco with PLI-enabled lights for advanced functionality, without additional control wires. Connect with Bluetooth or WI-FI. 9514030950

LED LIGHT STRIP 5 M 12 V
TREM

Made of silicone gel, which doesn't overheat. Suitable for very difficult working corners. Is easy to cut. For interior and exterior. 400 lumens. 420° angle. 50 000 hours of life.
9514024570 / warm white, 3000K
9514024572 / cool white, 6000K
9514024574 / blue

HALOGEN DIMMER BÅTSYSTEM TWILIGHT

Designed for marine use. With its precision, control, and adaptability it provides optimal lighting. Voltage output 12 - 24 V. IP21. High-quality construction ensures reliable performance and long lifespan. Easy installation. Recess depth 20 mm.
9514016105

U-FITTING Ø 25 MM BÅTSYSTEM

U-fitting for tube Ø25 mm, hull fitting 2x M6 and tube fitting M6. Made of acid-proof AISI316 stainless steel. Sold piecewise.
9510927066

LED FLOODLIGHT GOLIGHT GT

Remote-controlled floodlight, fixed mounting. Remote control has more than 2000 possible address codes with 7 station dip switch. IP56. The luminous intensity 410 000 candela. Light beam length 1250 m, width 8°. Rotation 370° and 135° with an up-down corner. 2,8A, 13,8 V. Mounting bracket. 9514039267

PACKAGE SIMARINE PICO BLUE

Complete battery watch and tank monitoring solution for owners of yachts and caravans. Set includes: 1x PICO display unit, 1x SC503 shunt, 1x ST107 tank and voltage module, 1x SCQ25 quadro shunt module. Compatible and expandable with all Simarine shunts and modules. 9514201037

STANDARD PACKAGE SIMARINE PICO

Complete battery and tank monitoring solution for yachts, campervans, motorhomes and other RVs. Set includes a PICO battery monitor, a SC303 high-amp shunt, a ST107 tank level and voltage module. It measures water, fuel, or other liquid levels and voltage or temperature. 9514201035

NMEA2000 CABLE 1 M WEMA

Cables are used for connection between a NMEA2000 device and T-connector, so called drop cable, or as a trunk/backbone cable between the T-connectors. Has large 18 AWG power conductors to minimise the risk of voltage drop. Universal.
9514701052

WICHARD SAFETY TETHERS WITH HOOKS

PROLINE

9517014064

Automatic closing and opening mechanism. Wide opening 26 mm: easy hooking and unhooking. High quality elastic webbing. Retro-reflective and visible at night. Compact and light.

9517014060

One double action safety hook and elastic webbing 1,40 m.
9517014064

One double action safety hook and elastic webbing 80 cm.
9517014062

9517014062

Two double action safety hooks and elastic webbing 2 m.
9517014060

9517014066

Three double action safety hooks and elastic webbings 2 m + 1 m.
9517014066

PROLINE R

One double action safety hook, one stainless steel snap hook and elastic webbing 2 m.
9517014068

Two double action safety hooks, one stainless steel snap hook and elastic webbing 2+1 m.
9517014070

9517014068

9517014070

ROLLER 800 X 800 SEASHADE MAXI

Spring-loaded large roller blind housed in a slimline cassette with integrated fixing covers. For large hatches, windows and portlights. Low-profile. Water repellent, heat-reflective, and blocks 0% light transmission. Easy installation.
9512601320

HATCH LINER SEAVIEW

30 m. Suitable as a frame strip for mosquito and blackout curtains and is compatible with the following products: 9512601204, 9512601206, 9512601223, 9512601270.

9512601910

ROLLER OAK SEAVIEW SEAVENETIAN

Gives privacy and comfort. You can also control cabin light, temperature and glare. Different sizes. Position of the adjustment mechanism on the left or right.

9512601500 – 1000x870 mm / left
9512601501 – 1000x870 mm / right
9512601502 – 1150x870 mm / left
9512601503 – 1150x870 mm / right
9512601504 – 560x895 mm   / left
9512601505 – 560x895 mm   / right
9512601506 – 610x895 mm   / left
9512601507 – 610x895 mm   / right
9512601508 – 700x895 mm   / left
9512601509 – 700x895 mm   / right

MANUAL RECOVERY KIT LEWMAR VX2/3 GD

Manual recovery kit for VX, CPX, V-series gypsy and gypsy drum deck units.
9512401696

WINDLASS EXT. KIT LEWMAR VX2+ GD 8 MM

The VX2+ offers a max. lifting capacity of 1025 kg for boats up to 48'. Motor 1000 W 24 V. IP67 cover as standard. Kit includes deck unit, motor gearbox, solenoid, rocker switch, circuit breaker, gypsy and drumm.
9512401695

LEWMAR®

SWAGE TERMINAL LEWMAR EY600E

6 mm. 5-8P. 9512401423

CHAIN KIT LEWMAR SS

ANSI50. 49P. Links. 9512401422

ROLLER + LINER
SEAVIEW SEASCREEN

Surface-mounted. The PVC coated glass fibre weave of fabric allows air to flow around while offering a long-lasting UV stable solution. Light and temperature control. Low profile design and integrated fixing covers. Magnetic closure.
9512601222 / size 44
9512601271 / size 70

HATCH LINER JOINT
SEAVIEW

20 pcs/bag.
9512601922

PLEATED BLIND
SEAVIEW SEASHADE 470/230

Grey. Quick and easy installation. Suitable for small windows and portlights. Wall or ceiling installation. Low profile. Light and temperature control. Reduce UV damage. Neat and tidy top or bottom stowage.
9512602247

MOTOR OIL 10W-30 205L
LIQUI MOLY MARINE 4T

Fast penetration of the oil to the engine and turbocharger. For inboard and outboard engines. Tested on engines with catalytic converters and turbochargers. Increases protection against corrosion and gives better protection properties. NMMA FC-W certification: Evinrude, Honda, Johnson, Mercury, Suzuki, Tohatsu, Yamaha. 9513781434

MOTOR OIL 15W-40 205L
LIQUI MOLY MARINE 4T

High-performance motor oil based on selected base oils and modern additive technology, developed specially for the maritime requirements. It guarantees optimum lubrication and reliable protection against wear. Tested for use with catalytic converters and turbochargers. 9513781418

DECK FITTINGS
BÅTSYSTEM

Stainless steel. Part in the Carbon fibre modular system. Mounting can be done either with two countersunk screws from above or, with an 8 mm bolt from underneath which is screwed into the integrated invisible thread inside the foot of the end fitting.

9519037534 / T-connection
9519037535 / 90° rail end fitting
9519037533 / rail end fitting

RANDOM ORBITAL SANDER
MIRKA DEROS II

The pivoting anchor roller, made of acid-proof stainless steel. Can hold anchors upto 20 kg. Provides an elegant look with its hand-polished finish.

Orbit 2,5
9519401905 / 325–77 mm
9519401909 / 625–150 mm

Orbit 5,0
9519401904 / 350–77 mm
9519401906 / 550–125 mm
9519401908 / 5650–125/150 mm
9519401907 / 650–150 mm
9519401910 / 750–175 mm

Orbit 8,0
9519401911 / 680–150 mm

CARBON FIBRE TUBE 125 MM
BÅTSYSTEM

125 mm long pre cut carbon fibre tube. The tube is a shortest pre cutted length, preferably used for a small single-hand grab rail.
9519037530 / 125 mm
9519037531 / 250 mm
9519037532 / 500 mm

SANDING DISC 150 MM
MIRKA ULTIMAX LIGNO

Designed for wood sanding and finihishing applications. Fast and even cut due to special hourglass grit pattern, long life with good resistance to clogging. Suitable materials: chipboard, mahogany, teak, veneer, pine, melamine, oak, birch beech.

50 pcs/package
9519401810 / P40
9519401811 / P60
100 pcs/package
9519401812 / P80
9519401813 / P100
9519401814 / P120
9519401815 / P150
9519401816 / P180
9519401817 / P220
9519401818 / P240
9519401819 / P320
9519401820 / P400

BRUSH
MIRKA

Brush for dust suction hood 9190152001 (9519401350).

9519401357

TRIMSYSTEM ZIPWAKE 400E

Series E for 50'-100' boats. For unmatched command of running trim, heel and heading. Compatible with Series S interceptors. Fast response time, effective lifting force, and a large and bright display.
9519041798

WIRELESS SEARCHLIGHT GOLIGHT STRYKER ST

For permanently installation. Luminous intensity 544 000 candelas. 370° rotation and 135° tilt. 3,7A, 13,8 V. Max. beam distance 1475 m. Includes mounting brackets. May be tilted and panned simultaneously. Hardwired remote control, new wireless remote control tehnology. 9514039259

LIVE BAIT TANKS HELLA MARINE LIVEWELL

Completely sealed, power saving LED lamps are designed for installation into live bait tanks with wall thicknesses up to 26 mm. Featuring a durable polycarbonate housing, the lamp provides soft, blue light. Supplied with a plastic nut and rubber gaskets for a watertight seal. 9514038252

TANK MONITORING GOBIUS C NMEA2000

Plug and play installation. Measures all kinds of fluids, including petrol, diesel and oil. No disassembly of the tank is needed. Includes; sensor, NMEA 2000 cable, 3M cleaning wipe and an extra 3M sensor tape. Built-in temperature, accelerometer and micro radar sensor. 12 V. Bluetooth. 9514052022

NMEA2000 CABLE 2 M WEMA

The cable has large 18 AWG power conductors to minimise the risk of voltage drop and provide better reliability to the NMEA 2000 network. Cables are used for connection between an NMEA2000 device and T-connector or as a trunk/backbone cable between the T-connectors. Universal. 9514701054

ACCUMULATOR TANK MARCO AT2

White coated steel accumulator tank for automatic pumps. Stainless steel connection. Butyl membrane for liquid foodstuff. Max. working pressure 8 bar. 5,0 l.
9515005720

ANCHOR LINE STORAGE BAG ROBLINE

Suitable for a pulpit or railing. Holds upto 50 m of anchor rope. Made from durable, water-repellent material that is easy to keep clean. Always ready for use!
9518200043

GRIP FOR CHAIN WICHARD

For 10 mm chain. Ensures safe anchoring by relieving tension on the anchor chain. Protects the boat by reducing chafing of the chain on the rub rail and roller chock. Rope size 22 mm.
9512099106

BÅTSYSTEM PIVOTING ANCHOR ROLLER

The pivoting anchor roller for bowsprits. Made of acid-proof stainless steel AISl316. Can hold anchors upto 20 kg and provides an elegant look with its hand-polished finish.
9519037567

STEEL WIRE ROPE IN PVC COVER

The steel wire has 114 threads and a transparent PVC cover. Ø 5 mm. Cable 3 mm/100 m. 9518023005

WIPER ARM WITH ADJUSTABLE TIP ROCA

A stainless steel pendulum wiper arm. Adjustable length 620–900 mm. Adjustable tip: ±40°. Saddle width 16 mm. Includes wiper blade adapter and spray nozzle. Fits Roca W38 (9514041380) wiper motor. 9514041442

WINDSCREEN'S WIPER MOTOR ROCA W38

12 V, 78 mm. Can be adjusted from 45°–110°. Powers up to 900 mm arms and blades. Two speeds. 38 Nm. 12 V. CE approved; EMC protected. Pantograph or pendulum arms. 9514041380

FOLDABLE ARM CHAIR
LTC SMART LIVING

For boat, picnics, festivals, camping or the garden. Soft and comfortable padding. Easy to fold up/down just in seconds. Weigh 5,2 kg. A handy bag. Supports upto 140 kg. Size open: 72 x 57 x 93 cm.
9519037332

FOLDABLE SOFA
LTC SMART LIVING

Soft and comfortable sofa for one or two people. With its carrying bag it's easy to take with you wherever you go. It folds up and down in seconds and weighs only 7,7 kg. Size open: 123 x 94 x 63 cm. Supports upto 160 kg.
9519037334

LED DOWN LIGHT
LUMITEC MIRAGE FDML

White, non-dimming. IP67. Perfectly suited for a variety of indoor or outdoor overhead lighting needs. 172 lumens, 5000K. Third part dimmer compatibility (3PD). 10 - 30 V DC, 3W. CE certified.
9514030414

FASTENING CLIPS KIT
FOR LED STRIP TREM

Pack contains 6 clips.
9514024576

END CAPS FOR FLEXIBLE
LED STRIP TREM

Each pack contains 5 clips.
9514024577

ELECTRIC WHISTLE
MARCO PW3

Approved whistle complete with white horn Ø 300 mm. Electric valve and mounting accessories, for compressed air operation 6/12 bar. Voltage 24 V, consumption 2,5A, 315 Hz, 132 dB.
9514008062

STEERING WHEEL 350 MM
ULTRAFLEX V10

4-spoke non magnetic stanless steel boat steering wheel with grip made of teak. Hub included.
9514601302

WIRELESS CHARGER
SCANSTRUT AURA 10 W

IPX6 waterproof, 12/24 V wireless range enables phone charging for the outdoor environment, without the need for cables. the front spring-loaded locking grip ensures your phone remains in place even during rough rides.
9514601302

MARITIM

FENDER COVER
FENDEQUIP F6

The high-quality UV-protected material protects the surface of the boat from abrasions caused by people resting. Also extends the age of the fender. Machine washable. Black.
9513055189

U-FITTING
BÅTSYSTEM

U-fitting for tube Ø 25 mm, hull fitting 2x M6 and tube fitting M6. Made of acid-proof AISI316 stainless steel. Sold piecewise.
9519037544

TUBE MOUNTING CLIP 15 MM
WHALE

Whale tube mounting clip, 15 mm, white plastic.
9515004959

WATER FILTER SET
YACHTICON

Complete and easy to mount water filter system containst solid housing made out of reinforced polypropylene, filter nr. 01.0728.00 and polypropylene fittings with 13 mm exit. Mounting bracket with screws.
9515020204

SEDIMENT CARTRIDGE
CARBON YACHTICON

For the removal of normal sediment and reduction of unpleasant taste, odour and chlorine. 5 micron. Temperature range 0 - 52 °C. Fits 10" housing. Max. recommended flow rate 19 l./min. Shef life 10000 l. or one season.
9515020205

EVAPORATOR
ISOTHERM

1370 x 300 mm, with connectors.
9514048185

VALVE FOR HOT WATER
BARKA

Valve fot hot water. Suitable for the Barka's taps: MR 41, MR 45, MR 46 and MR 4100 L.
9515004511

SET OF BLOCKS FOR DAVIT
BÅTSYSTEM

A complete set of blocks for one davit arm with art.no DV42. Includes ropes and blocks.
9519037695

ROLLER
SEAVIEW SEASCREEN

Surface-mounted roller blind and flyscreen with liner. Protects from sunlight and heat but allows air to flow around the cabin. Fits any size boats and marine hatches. Magnetic closure with ergonomic handle. Surface-mounted and integrated fixing covers. 9512601211

HATCH
LEWMAR ULP44 BISQ

Gray/silver. Low profile.
9512407081 / ULP44 BISQ
9512407082 / ULP60 EHD

SOLAR AIR VALVE MINIVENT 1000

Solar powered exhaust ventilation during daylight and passive exhaust at night. No batteries or wiring required. Quiet. Shut-off damper to prevent water intrusion in rough seas. Contains white plastic interior trim ring and mounting hardware. Ø 7", 1-3/4" high.
9515028027

MOISTURE ABSORBER EVERBRAND EVERBASIC

Compact Mini 450 g. Prevents mold formation, protects against high humidity and emoves bad odors. Refill available separately. Use on a boat, caravan, summer cottage, etc.
Moisture absorber / 9519016066
Refill 3x 450 g / 9519016067

4G WIRELESS ROUTER LTC CAT4

4G router with built-in modem. 32 devices can connect to the Wi-Fi. Dual network ports 100 Mbps. Package contains: 1x 4G wireless router, 2x Wi-Fi + 2x 4G antennas, 1x 12 V + 1x 230 V cable. Input voltage 9 - 16 V.
9514600962

4G/WIFI COMBINATION ANTENNA LTC

Compact antenna to connect your 4G router for better 4G reception and WiFi coverage. Includes 2x 5 m cables for 4G and 2x 5 m cables for Wi-Fi.

USB-A/C CHARGING OUTLET 12/24 V BÅTSYSTEM

Allows you to easily charge e.g. tablet, mobile phone or camera. Operates in 12- and 24-volt systems. Maximum charging capacity 3A. Spring-loaded ON/OFF button for efficient power control. LED light when charging.
9514050664

COMPASS FOR CEILING MOUNTING RIVIERA ASTRA 4"

Special ceiling mounting frees up space on the bridge. Interference Protection eeduces the effects of magnetic interference, improving navigation accuracy. Anti-glare screen. Card graduations 5° and Ø 4"/100 mm. Perfect choice for yachts and work boats. 9514021801

STEP LIGHT HELLA MARINE

White LED step light with stainless steel rim. Indoor and outdoor installations. Completely sealed (IP67). Impact resistant plastic. The light is directed 30 degrees downwards. CE-approved. Operating voltage 10 - 33 V DC. Power consumption 0,5 W. Pre-wired with 120 mm of marine cable. 9514024603

ENGINE ROOM LIGHT LUMITEC IBIZA LT

Ibiza's optical system delivers a nearly perfect 180° beam pattern. It's bright, reliable, and easy to install. Completely sealed (IP67). Delivers 1000 lumens and has dual-color output options. Compatible with most PWM LED dimmers.
9514030860

MASTHEAD NAVIGATION LAMP HELLA MARINE NAVILED PRO

Light intensity at 9 - 32 V DC. IP67. Withstand UV radiation, corrosive salt air and constant vibration. Minim. visible distance 3 nautical miles. Supplied with 2,5 m of twin core marine cable. Power consumption less than 2.5 W (0.2A@12 V).
9514033363B / black housing
9514033365B / white housing

STERN NAVIGATION LAMP HELLA MARINE NAVILED PRO

Light intensity at 9 - 32 V DC. IP67. Withstand UV radiation, corrosive salt air and constant vibration. Minim. visible distance 3 nautical miles. Supplied with 2,5 m of tinned marine cable. Power consumption <2 W (0,17A@12 V/0,09A@24 V DC).
9514033373B / black housing
9514033375B / white housing

UTILITY LED LIGHT LUMITEC MINI RAIL2

Completely water sealed (IP67). Equally effective for use in exterior as well as interior. Color output warm white nondimming. Finish/housing brushed. CCT 3000K. 95 Lumens. CE certified. Related watts 4. Third Party Dimmer Compatibility (3PD). Voltage 10 - 30 V DC. 9514030830

PLAIN BEARING SHEAVE BARTON

White. 32 x 14 mm.
9513008033

SMALL SPLIT RING ALLEN BROTHERS

A split ring allows you to reliably secure pins, bolts, or other rigging components. When threaded through the hole in a clevis pin or shackle, the ring prevents these parts from accidentally slipping out, ensuring that the rigging remains intact. 11 mm.
9512093020

WALL SUPPORT FOR BUNK LADDER TREM

9510928691

BUILT-IN GAS OVEN 24 L ENO GOURMET

Input energy gas butan/propan 28 - 30 mbar. Electronic ignition with 1,5 V battery. Drip tray and oven rack. Dimensions: h. 43 x w. 54 x d. 49 cm. Built-in dimensions: h. 42 x w. 52 x d. 47 cm. Material SS 304L polished and galvanized steel coated. 9515008319

THRU-BULKHEAD THREADED TUBE 1" TRUDESIGN

9515030592

TELESCOPIC HANDLE LTC SCRUBBIS

Handle for Scrubbis brush 9513029034. The telescopic handle allows you to scrub the hull at the waterline. You can stand on the deck or a nearby dock to clean the dirt line that forms at the waterline.
110 to 210 cm.
9513029036

MAGAZINE RACK TEAK ARC

Teak magazine rack with block grid profile for mounting on the wall of your cockpit or cabin. Convenient for securely storing magazines, charts or other items.
9519036138

CHAMPAGNE GLASS 6PCS MARINE BUSINESS PARTY

Durable ecozen-material that does not break. Non-slip ring at the bottom makes the glass very useful for sailing. Dishwasher safe. Scratch-resistant. Suitable for use in the microwave. Recyclable material.
9515008678

Find products for safe boating from Maritim.

On our webshop www.maritim.fi you can check the price of the product, availability and make purchases in an easy way. You'll also find technical information f or the entire product range.

We reserve the right to make price, size or product changes without notice.

MARITIM