

1/2024

**MARITIM**

# New products in Maritim



20  
24

**Check out our new products!**

**We are adding several new products every month into our product range.**

**Subscribe to our newsletter at [www.maritim.fi](http://www.maritim.fi) and you will be among the first to hear about them.**



1/2024-03/2024



**MULTI-CABLE SEAL  
SCANSTRUT DECKSEAL MULTI**

For cables up to Ø15 mm.  
For installation of large electronics, solar and light cables. A low-profile construction. Easy installation that cuts down through wood, metal and GPR. 100% waterproof: IP68. 9515030219



**ARM POD FOR DISPLAYS  
SCANSTRUT DECKSEAL MULTI**

Displays upto 7". Arm Pod allows you to install your MFD onto any standard or curved rail. Waterproof internal cable routing allows you to seamlessly run your cables through the bottom of the pod, the machined aluminium clamp and into the rail. Fits pedestal rails from 25 mm to 33,7 mm. 9514620498



**VACUUM CLEANER  
MIRKA 1242 M AFC EU**

The professional industrial vacuum cleaner. Powerful motor and turbine; vacuum 250 mbar, air flow 4500 l./min. 60 dB, 220 - 240 V, tank capacity 42 l. The automatic start function. Mirka dust hose recommended (not included). 9519401467



**ELECTRIC RANDOM ORBITAL  
SANDER MIRKA DEROS 680CV**

Designed for efficient and dust-free grinding of all types of surfaces. An integrated vibration sensor. Bluetooth. Dust system: dust extraction. Speed 4000 - 10000 rpm. Noise level 71 dB. Off-center movement 8 mm. Power supply 350 W. Pad size 150 mm. 9519401257



**ELECTRIC ORBITAL SANDER  
MIRKA DEOS 343CV**

For sanding windows, doors and frames. Especially in hard-to-reach places. Equipped with a brushless motor, vibration sensor and Bluetooth. 220 - 240 V. 5000 - 10000 rpm. Off-center movement 3 mm. Pad size 75 x 100 mm. 70 dB. Central vacuum connection. 9519400999



**SANDING PAPER ROLL  
MIRKA GOLDFLEX SOFT**

115 x 125 mm. Perforated. For sanding profiled surfaces and irregular, difficult-to-reach details by hand. The special coating prevents clogging. For dry and wet sanding. 9519401764 / P180 9519401766 / P240 9519401767 / P320



**SANDING PAPER  
MIRKA ECOWET P2000**

For wet sanding of painted surfaces, interlayers and repair areas by hand. Also suitable for removing layers of dirt and pores from painted surfaces. The use of hand-held abrasive pads is recommended. Griddable objects: non-ferrous metals, painted and varnished surfaces, primers, glass fiber. 9519401239



**BLENDING TAPE  
MIRKA FLEXI NO EDGE**

Mirka's unique foam tape for defining and protecting curved edges. 9519401758



**SHACKLE 20 MM  
WICHARD**

Made by 17-4 stainless steel grade. Outstanding working and breaking load. Can be up to 60% more resistant than 316L stainless steel. CE-marked. 9513033825



**SPARES KIT FOR VINCH  
LEWMAR OCEAN/EVO ST 50-65**

Spares kit contains:  
1x 15000646, 1x 15000981, 2x 45000102,  
4x 1260/7, 4x 1264/8, 1x B1878.  
9512408611



**CATCH BLOCK SPARE  
LEWMAR**

Low and medium profile catch block spare. 9512407108



**HOSE CONNECTOR  
GUIDI**

Hose connector, male, 1 1/4 x 30 mm. Bronze. 9515015035




**HOSE CONNECTOR 1/2"  
16 MM TRUDESIGN**

Hose connector with 90° angle, black composite, 16" thread, for 16 mm hose. 9515030449



**SHOWER HEAD  
OSCULATI KEJI II**

Keji II continuum flow spare shower head. 9513055063



**GAS ADAPTER  
ENO SAE5/8 - G1/4**

Reliable and versatile accessory for outdoor cooking. Crafted from durable materials, it ensures compatibility with various gas-powered appliances, providing a steady fuel source for camping, picnics, backyard barbecues... 9515008401



**MINI CONTROLLER  
ZIPWAKE**

Perfect complement to any Zipwake system equipped with the Integrator module and touchscreen MFDs. Built-in GPS. Surface or flush mount. IP67. Auto power ON/OFF via ignition key sense. Compliance: CE, FCC. 9519040819



**WIPER CONTROL  
ROCA CT41**

Wiper control is suited for low-power motors with a parking switch. It works both with single-speed and double-speed motors. No screws are needed for the installation. Buttons allows you to manage ON/OFF, timing, and washing program. 9514014228



**ADMIRAL'S PACKAGE  
HURLEY MARINE H2O**

Everything you will need to complete your davit install. Package includes: 4 stainless steel ratchet straps, 4 padeyes, backing plates, mount plate covers, cleat with pin. 9519037960

**BLIND/FLYSCREEN ROLLERS, SEAVIEW SEASCREEN**



Surface-mounted. The PVC coated glass fibre weave allows air to flow around the cabin. Gives privacy and comfort and protects from sunlight and heat. Prevents minute insects access. Low profile design, integrated fixing covers. Magnetic closure. Fits any size marine hatch.

9512601204/koko 44  
9512601207/koko 60

With liner:  
9512601223/koko 54  
9512601270/koko 70



**AUTOM. INFLATION LIFEJACKET CREWSAVER CREWFIT+ 180N PRO**

Lightweight, 3D shaped lifejacket provides the ultimate comfort. Robust outer cover with design of peninsular. Chin support, hood, light, crotch strap and safety harness loop. Indicator window. Smartfind AIS compatible. 9557201023



**MULTI-FLASH SIGNAL LAMP HELLA MARINE**

10 programmable flash modes and the ability to be synchronised to flash alternately or in unison. Amber light (optics is clear until illuminated). Superior resistance to water, impact and UV. Multivolt 9 - 33 V DC, power <5 W (continuously on). Pre-wired with 2,5 m of multi core cable. IP67. 9514033523



**FLUSH DECK POWER POINT OSCULATI 70 MM**

High-resistance power point. Suitable to e.g. fasten rafts and inflatables on deck or platforms, or to fasten lifelines on sail boats. Mirror polished AISI316 stainless steel. 9516002048



**SET FOR FOLDING BRACKETS ROCA ROBUST EASY RELEASE**

The Easy Release is an addition to Robust folding brackets that enables you to easily release two Robust brackets on a wider installation/shelf, using only one hand. 9516011070



**LOCKABLE SLAM LATCH ROCA**

A lockable slam latch in acid-proof stainless steel, adjustable for 2 - 22 mm panel thicknesses. Ø 61 mm. Comes with a thin backing plate, a spacer, and 2 sets of crews for panel thicknesses of 2 - 22 mm. "Push to close" functionality. 9516060153



**CATCHPLATE SS ROCA**

A 22° angled catch plate in electropolished and acid-proof stainless steel intended for Roca's eccentric latch 22. AISI304. 9516008028



**TRUMPET HORN SS ROCA**

A classic and reliable trumpet signal horn with a loud and effective single sound. Sound level 115 ± 5dB. Power 12 V 3A. AISI304. 9514008100



**SLIDE LATCH SS ROCA**

Crafted in high-quality acid-proof stainless steel. The plastic friction block prevents rattling and vibration while maintaining a secure connection. Open the slide latch with the push-lock. Flat keeper (9516008057) for slide latch is not included. 9516008056



**FLAT KEEPER FOR SLIDE SS LATCH ROCA**

Flat keeper for slide latch 9516008056. AISI316.

9516008057



**ROLLER SEASHADE MINI S3**

For small hatches, windows, and portlights. Spring-loaded. Housed in cassette with integrated fixing covers. Water repellent, heat-reflective, and blocks 0% light transmission. Can be mounted as top or face fix. Ergonomic finger-moulded handle, or optional pull tab available in leather. 9512601310



**HELM POD FOR DISPLAYS SCANSTRUT**

For mounting display and instruments together right where you need them. Customised U-bolts: no drill fixing kit. Fits pedestal rails from Ø 25 mm to 33,7 mm. Secure & water-tight install. Hassle-free install and service. Has a very high resistance to heat and UV. Supplied uncut. 9514620490





**REARMING KIT  
HAMMAR MA1/A1**

Automatically activates when submerged in water and with a pressure difference of about 10 centimeters. Manual activation by pull tab. IMO/SOLAS-, EN 396- ja TSO C13f-approved.  
9557202568



**MOB LIGHT & SMOKE  
IKAROS MKCI**

Man overboard light and smoke signal is the most compact smoke buoy in the world. It has an innovative 360-degree light ring that clearly marks the position of the person in the water. It delivers a dense orange smoke for more than 15 min.  
9517088019



**BALL VALVE  
GUIDI**

Lever operated ball valve, female-female, full flow. Bronze.

- 9515015560 / 3/8"    9515015565 / 1"1/2
- 9515015561 / 1/2"    9515015566 / 2"
- 9515015562 / 3/4"    9515015567 / 2"1/2
- 9515015563 / 1"    9515015568 / 3"
- 9515015564 / 1"1/4



**FLANGE  
GUIDI PN16**

1 1/4". DN32. Bronze.  
9515015550



**POT STAND  
ENO INOX ONE**

Pot stand set for Eno One Inox oven (9593009530).

9515008403



**HUB FOR SENSORS  
GOBIUS PRO**

You can connect up to 5 sensors to the hub and display the level on an analog gauge such as Faria, KUS, VDO, Wema or another instrument that can read 10 - 180 or 240 - 33 Ohm. The hub can also give signals to NMEA2000 converter and to other BUS system. 9514052050



**ELECTR. WATER PRESSURE  
SYSTEM MARCO UP12/E**

Self-priming automatic electric pump. Main applications: fresh water pressure systems and shower kits on boats, rubber dinghies, sailing boats and campers. Voltage 12/24 V. Self-priming 3 m. Flow rate 36 l./min. Motor power 360 W.  
9515005658



**BRUSH HEAD  
LTC SCRUBBIS GROOVY**

Remove algae and other deposits from the hull of the boat. Clean the hull easily while the boat is still in the water. The cleaning head has a 2 kg floating weight that presses firmly against the surface of the body.  
9513029032





**BOATBRUSH + CONTAINER  
LTC SCRUBBIS DIPDECK**

Integrated water tank (foldable). You can use water from the sea or lake. If necessary, you can add an environmentally friendly detergent. Volume 4 l. Folded height 18 cm, unfolded: 35 cm. Width x depth 24x13 cm.  
9513029034



**HULL CLEANING KIT  
LTC SCRUBBIS**

Effectively removes dirt, such as algae, slime and seeps, from the hull of the boat. You can brush the bottom of the boat from the dock. The cleaning head has a floating weight of 2 kg. Length 113 - 320 cm, width 40 cm, diameter 9.5 cm.  
9513029030



**SANDING DISC 77 M  
MIRKA GALAXY MULTIFIT**

Suitable for e.g. for grinding metal, wood, fiberglass, plaster/putty and gelcoat. Excellent edge resistance, long service life, efficient grinding and dust removal.

- |                   |                    |
|-------------------|--------------------|
| 9519401770 / P40  | 9519401779 / P320  |
| 9519401771 / P60  | 9519401780 / P400  |
| 9519401772 / P80  | 9519401781 / P500  |
| 9519401773 / P100 | 9519401782 / P600  |
| 9519401774 / P120 | 9519401783 / P800  |
| 9519401775 / P150 | 9519401784 / P1000 |
| 9519401776 / P180 | 9519401785 / P1200 |
| 9519401777 / P220 | 9519401786 / P1500 |
| 9519401778 / P240 | 9519401787 / P2000 |



**ELECTRIC RANDOM ORBITAL  
SANDER MIRKA AOS-B 130 32 MM**

Belongs to the brushless battery-powered grinding machine series. Designed for the efficient correction of paint defects. Thanks to its durable battery, industrial use lasts up to 16 hours on a single charge. 3 mm eccentric movement. Max. 12 V 2,5A. 9519401089



**LED LIGHT SS  
LUMITEC TOUCH DOME**

Use as a down light, utility light, electr. space or mechanical space light as well as in many wet spaces. With no O-rings, baffles, or switches. CE certified. Ø 17,15 cm, depth 2,87 cm. 244 lumens. Housing: stainless steel. IP67. 5000K. 3PD. IP67.

- 9514030308 – white/blue dimming
- 9514030310 – white/red dimming



**SANDING DISC 34 MM  
MIRKA ABRANET**

For dry sanding by machine or by hand. Especially for sanding putty, primers, lacquers, composite materials and a wide range of other materials. Durable and long-lasting. A cleaner working environment. 50 pcs/pack.

- |                   |                   |
|-------------------|-------------------|
| 9519401797 / P600 | 9519401796 / P500 |
| 9519401791 / P120 | 9519401795 / P400 |
| 9519401798 / P800 | 9519401793 / P240 |
| 9519401790 / P80  | 9519401792 / P180 |



**ELECTRIC ORBITAL SANDER  
MIRKA DEOS II 353**

For woodworking and painted surfaces. For doors, windows and hard-to-reach places offering precise, efficient and dust-free sanding. Height 10 cm. Brushless motor. Backing pad 133 x 81 mm. Vibration level 3 mm. Bluetooth. Noise level 69 dB. Max. 10 000 rpm. 300 W. 9519401259

9519401259



**LED LIGHT SS  
LUMITEC AURORA DOME**

Aurora Dome has bright wide light, intuitive and reliable built-in switch. Housing: white. 180 lumens. IP67. CE certified. For interior or exterior use. 5000K.

- 9514030302 – white/blue dimming
- 9514030318 – white/red dimming



**SANDING DISC 34 MM  
MIRKA ABRANET**

Developed for tackling both smooth and profiled surfaces. Suitable for both dry and wet sanding, by machine or by hand. Can be used, for example, for finishing and pre-polishing gelcoats, varnishes and fiberglass-reinforced surfaces. 10 pcs/pack

- |                    |                    |
|--------------------|--------------------|
| 9519401800 / P360  | 9519401803 / P2000 |
| 9519401801 / P500  | 9519401804 / P3000 |
| 9519401802 / P1000 | 9519401805 / P4000 |



**SLEEVE  
MIRKA**

A durable sleeve for cable and hose, that makes handling easier and protects the work surface from scratches. Designed to be used with Mirka DEROS, DEOS and LEROS. The 3,8 m long sleeve fits the 4 m cable and hose.

9519400101



**ENGINE ROOM LED LIGHT  
LUMITEC NEVISLT**

With more than 1000 integrating sphere tested lumens, the NevisLT douses hard to light areas with a 180-degree spread of bright even light. Non-dimming. 5000K. 3PD. Housing: brushed. IP67. CE certified.

9514030838



**UNDERWATER LED LIGHT  
LUMITEC SEABLAZE MINI**

Perfect for smaller trailer boats, skiffs, or dinghies. Color output: white non-dimming. Housing anodized aluminum. 900 lumens. 6500K. IP68. CE certified. Sold as a pair. 9514030700



**UNDERWATER LED LIGHT  
LUMITEC SEABLAZE X2**

Available in dual-color white/blue or full-color Spectrum output, the SeaBlazeX2 delivers exceptional performance with over 6000 lumens of output. It is surface mountable. Has no external drivers. Color output: white/blue. Housing: bronze. TTP, PLI. IP68. CE certified. 9514030730



**LED DOWNLIGHT  
LUMITEC MIRAGE**

Completely sealed and IP67 rated. It's perfectly suited for a variety of indoor or outdoor overhead lighting needs. Slim profile. CE certified. Color output warm white (Hi CRI). Housing: polished. 3000K. 3PD, TTP, PLI. 9514030478



**LED FLOOD LIGHT  
LUMITEC CORSICA**

For hardtops, wheelhouses or arches. Corsica delivers more than 1200 lumens. Can be controlled with any normal ON/OFF switch. Is compatible with Poco Digital Lighting Control system. Casts an even, dimmable and colored glow. TTP, PLI. 9514030592



**LED LIGHT WHITE  
LUMITEC MAXILLUME H60**

Colour output: white dimming. This LED flood light has a versatile bracket mount and simple 2-wire hookup. Internal dimmer control. CE certified. Housing white. 6000 lumens, 5000K. TTP. IP67. 9514030556



**LED DOWNLIGHT  
LUMITEC AURORA**

Completely water sealed (IP67). For interior or exterior use. Flush mount. Dimmable. With wide even light. Housing white. CE certified. 5000K. 9514030322 – white/red. 9514030324 – white/blue



**LED DOWNLIGHT  
LUMITEC ORBIT**

With a shallow-depth profile and a secure composite mounting system, light is ideal for a variety of cabin lighting, T-top lighting and mezzanine uses. Intelligent circuitry: no need for external modules, switches, wires. IP67. 5000K. 3PD, TTP, PLI. White/red/blue. 9514030350



**LED DOWNLIGHT  
LUMITEC SHADOW**

Correlated corrected temperature 5000K. 305 lumens. IP67. CE certified. Housing polished. White, non-dimming. Depth 2,79 cm, height: 12,56 cm, diameter 8,88 cm. 3PD, TTP, PLI. 9514030440



**LED DOWNLIGHT  
LUMITEC MIRAGE**

Completely sealed and IP67 rated. Suited for a variety of indoor or outdoor overhead lighting needs. Offers up to 30 degrees of pivot for wall wash, art lighting, and other dramatic lighting effects. 380 lumens. 5000K, 3PD, TTP, PLI. CE. White/red/blue, RGB. 9514030462




**FLEXIBLE STRIPLIGHT 9'  
LUMITEC MORAY RGB**

Compatible with Poco digital lighting control system and can easily be controlled from an on-board MFD, smartphone, or tablet. RGBW flex light have both an internal driver and an internal color/output controller. 5000K, 450 lumens. IP67. TTP, PLI. 9514030878



**DIGIT. LIGHTNING CONTROL  
MODULE LUMITEC POCO**

Delivers a powerful on-board lighting control through a compatible MFD or connected smart device and a simple, easy to install control module. Install Poco with PLI-enabled lights for advanced functionality, without additional control wires. Connect with Bluetooth or WI-FI. 9514030950



**LED LIGHT STRIP 5 M 12 V  
TREM**

Made of silicone gel, which doesn't overheat. Suitable for very difficult working corners. Is easy to cut. For interior and exterior. 400 lumens. 420° angle. 50 000 hours of life. 9514024570 / warm white, 3000K. 9514024572 / cool white, 6000K. 9514024574 / blue



**HALOGEN DIMMER  
BÅTSYSTEM TWILIGHT**

Designed for marine use. With its precision, control, and adaptability it provides optimal lighting. Voltage output 12 - 24 V. IP21. High-quality construction ensures reliable performance and long lifespan. Easy installation. Recess depth 20 mm. 9514016105



**U-FITTING Ø 25 MM  
BÅTSYSTEM**

U-fitting for tube Ø25 mm, hull fitting 2x M6 and tube fitting M6. Made of acid-proof AISI316 stainless steel. Sold piecewise. 9510927066



**LED FLOODLIGHT  
GOLIGHT GT**

Remote-controlled floodlight, fixed mounting. Remote control has more than 2000 possible address codes with 7 station dip switch. IP56. The luminous intensity 410 000 candela. Light beam length 1250 m, width 8°. Rotation 370° and 135° with an up-down corner. 2.8A, 13.8 V. Mounting bracket. 9514039267



**PACKAGE  
SIMARINE PICO BLUE**

Complete battery watch and tank monitoring solution for owners of yachts and caravans. Set includes: 1x PICO display unit, 1x SC503 shunt, 1x ST107 tank and voltage module, 1x SCQ25 quadro shunt module. Compatible and expandable with all Simarine shunts and modules. 9514201037



**STANDARD PACKAGE  
SIMARINE PICO**

Complete battery and tank monitoring solution for yachts, campervans, motorhomes and other RVs. Set includes a PICO battery monitor, a SC303 high-amp shunt, a ST107 tank level and voltage module. It measures water, fuel, or other liquid levels and voltage or temperature. 9514201035



**NMEA2000 CABLE 1 M  
WEMA**

Cables are used for connection between a NMEA2000 device and T-connector, so called drop cable, or as a trunk/backbone cable between the T-connectors. Has large 18 AWG power conductors to minimise the risk of voltage drop. Universal. 9514701052

**WICHARD SAFETY TETHERS WITH HOOKS**



**PROLINE**

Automatic closing and opening mechanism. Wide opening 26 mm: easy hooking and unhooking. High quality elastic webbing. Retro-reflective and visible at night. Compact and light.

**One double action safety hook and elastic webbing 1,40 m.**  
9517014064

**One double action safety hook and elastic webbing 80 cm.**  
9517014062

**Two double action safety hooks and elastic webbing 2 m.**  
9517014060


**Three double action safety hooks and elastic webbings 2 m + 1 m.**  
9517014066

**PROLINE R**

**One double action safety hook, one stainless steel snap hook and elastic webbing 2 m.**  
9517014068

**Two double action safety hooks, one stainless steel snap hook and elastic webbing 2+1 m.**  
9517014070





**ROLLER 800 X 800  
SEASHADE MAXI**

Spring-loaded large roller blind housed in a slimline cassette with integrated fixing covers. For large hatches, windows and portlights. Low-profile. Water repellent, heat-reflective, and blocks 0% light transmission. Easy installation.  
9512601320



**ROLLER OAK  
SEAVIEW SEAVENETIAN**

Gives privacy and comfort. You can also control cabin light, temperature and glare. Different sizes. Position of the adjustment mechanism on the left or right.



**HATCH LINER JOINT SEAVIEW**

Hatch liner joint, 20pcs/bag.  
9512601922



**HATCH LINER  
SEAVIEW**

30 m. Suitable as a frame strip for mosquito and blackout curtains and is compatible with the following products: 9512601204, 9512601206, 9512601223, 9512601270.

9512601910



**MANUAL RECOVERY KIT  
LEWMAR VX2/3 GD**

Manual recovery kit for VX, CPX, V-series gypsy and gypsy drum deck units.  
9512401696



**WINDLASS EXT. KIT  
LEWMAR VX2+ GD 8 MM**

The VX2+ offers a max. lifting capacity of 1025 kg for boats up to 48'. Motor 1000 W 24 V. IP67 cover as standard. Kit includes deck unit, motor gearbox, solenoid, rocker switch, circuit breaker, gypsy and drum.  
9512401695


**LEWMAR®**

**SWAGE TERMINAL  
LEWMAR EY600E**


6 mm. 5-8P. 9512401423

**CHAIN KIT  
LEWMAR SS**

ANSI50. 49P. Links. 9512401422



# Find products for safe boating from Maritim.



*On our webshop [www.maritim.fi](http://www.maritim.fi) you can check the price of the product, availability and make purchases in an easy way. You'll also find technical information for the entire product range.*

*We reserve the right to make price, size or product changes without notice.*



**Oy Maritim Ab**  
**Veneentekijäntie 1**  
**00210 Helsinki, Finland**  
**Tel. +358 (0)10 2740 300**  
**[www.maritim.fi](http://www.maritim.fi)**

**Wholesale:**  
**[orders@maritim.fi](mailto:orders@maritim.fi)**  
**Tel. +358 (0)10 2740 320**

**MARITIM**